

The following information changes the RFT documents issued on May 31, 2019.

GENERAL INFORMATION

Grguric Architects Incorporated Addendum dated June 18, 2019.

Please see revised project schedule.

Anticipated Construction Commencement	Monday July 15, 2019
Substantial Performance	Thursday October 31, 2019
Total Completion	Friday November 29, 2019

QUESTIONS AND RESPONSES

- Q1 Upon reviewing your specification we would appreciate you consider in approving Securock Gypsum Fiber Roof Board under Section 07520 SB Modified Bituminous Membrane Roofing Page 7 of 22. Under 2.1.2 Thermal Barrier the only acceptable product you have specified is DensDeck Prime Roof Board. The Securock Gypsum Fiber Roof Board is a homogeneous panel without a glass facer. This allows for an exceptional bond and there is no risk of facer delamination. It has exceptional wind uplift and twice the compressive strength compared to DensDeck prime. At the moment you only have one manufacturer specified. May I suggest you include CGC to provide competitive bidding.
- R1 See Grguric Addendum dated June 18, 2019.
- Q2 Is there a list of prequalified contractors (mechanical/electrical)?
- R2 No
- Q3 Who is the base building contractor for fire alarm, controls, sprinklers, security?
- R3 HWDSB does not have approved subcontractors list for fire alarm, controls, sprinklers or security.

Q4 Please add Vertechs Elevators as an acceptable alternate.

R4 See Grguric Addendum dated June 18, 2019.

End of Addendum 3

Item 1 **Specification Section 14240 Hydraulic Passenger Elevator**
2.1 Acceptable Manufacturers
ADD as approved equivalent “1.4 Vertechs Elevators, Model EDGE2500”

Question 1 Upon reviewing your Specification we would appreciate you consideration in approving Securock Gypsum Fiber Roof Board under Section 07520 SBS Modified Bituminous Membrane Roofing Page 7 of 22. Under 2.1.2 Thermal Barrier the only acceptable product you have specified is DensDeck Prime Roof Board. The Securock Gypsum Fiber Roof Board is a homogeneous panel without a glass facer. This allows for an exceptional bond and there is no risk of facer delamination. It has exceptional wind uplift and twice the compressive strength compared to DensDeck prime. At the moment you only have one manufacturer specified. May I suggest you include CGC to provide competitive bidding.

Response 1 Securock Gypsum Fiber Roof Board is accepted as an alternate.

END OF ADDENDUM