EXISTING FIRE RATED ACT CEILING REMOVE PORTION OF EXISTING ACT CEILING & GYP **EXISTING FIRE RATED GYP** BOARD CEILING FOR INSTALLATION OF NEW DUCT. **BOARD CEILING** REINSTATE GYP BOARD CEILING WITH TYPE X FIRE RATED GYPSUM BOARD. REINSTATE ACT CEILING. **EXISTING OWSJ ROOF** EXISTING GB BULKHEAD TEMPORARILY REMOVE PORTION OF EXISTING ACT CEILING FOR INSTALLATION OF NEW DIFFUSER AND REINSTATE AFTER PATCH / PAINT DRYWALL OPENING **INSTALLATION IS COMPLETE** AFTER EXISTING DIFFUSER IS REMOVED SECOND FLOOR CORR.

TYPICAL SECTION THROUGH CLASSROOM

NOTE: REFER TO MECH DWGS FOR NUMBER AND LOCATIONS OF CLASSROOMS RECIEVING HVAC DUCT MODIFICATIONS

General Contractor shall check and verify all dimensions and report all errors and omissions to the Architect. Do not scale the drawings. Drawings shall not be used for constructions		ROLLING MEADOWS PUBLIC SCHOOL			Project No. 2513	
		Drawing Title	Typical Crossection through Classroom			NTS
purposes until issued by the Architect for construction.					Drawn	Units
Issued for Construction Date Signature			sn/der Revisions		Date 2025 10 07	
CADD File		100 Bro	r der Architects Inc. padvlew Ave., Sulte 301, Toronto, ON M4M 3H3 66.5444 f.416.966.4443 www.snyderarchitects.ca	Cross Reference M3.1	Drawing	A01