



Waterloo Region
District School Board

AVENUE ROAD P.S. RENOVATIONS

40 GAIL ST. CAMBRIDGE, ON

MARTIN
SIMMONS
SWEERS

CONSULTANTS: **01** MARTIN SIMMONS SWEERS ARCHITECTS
architect **04** DEI & ASSOCIATES
electrical engineer
02 WITZEL DYCE ENGINEERING
structural engineer
03 DEI & ASSOCIATES
mechanical engineer

ISSUED FOR TENDER
FEBRUARY 13, 2026

Project No. 25053

DRAWING INDEX:

ARCHITECTURAL DRAWINGS

A000 COVER PAGE
A001 GENERAL NOTES, ABBREVIATIONS AND LEGENDS
A002 OBC MATRIX AND LIFESAFETY
A003 SCHEDULES AND STANDARDS
A201 OVERALL PLAN
A202 RENOVATION PLANS - CLASSROOM 21-23
A203 EXISTING ROOM ELEVATIONS
A204 CLASSROOM 21 - 23 NEW WORK ELEVATIONS
A205 RENOVATION PLANS
A206 SPECIAL ED ROOM NO. 13, WR 110, KD 7, RM. 109
A207 SPECIAL ED ROOM NO. 13
A208 CORRIDOR FLOORING AND FLOORING DETAILS
A209 MILLWORK
A210 MILLWORK
A211 MILLWORK

STRUCTURAL DRAWINGS


S1 PARTIAL FRAMING PLANS & DETAILS

MECHANICAL DRAWINGS


M101 LEGEND, SCHEDULES & DETAILS
M102 SPECIFICATIONS
M201 PLUMBING & DRAINAGE -
DEMOLITION
M202 FIRE PROTECTION - DEMOLITION
M203 HVAC - DEMOLITION
M204 LEGEND & SCHEDULES

ELECTRICAL DRAWINGS

E101 LEGEND & SCHEDULES
E102 SCHEDULE AND DETAILS
E201 LIGHTING DEMOLITION PLAN
E202 POWER AND SYSTEM DEMOLITION PLANS
E301 LIGHTING RENOVATION PLAN
E302 POWER AND SYSTEM DEMOLITION PLANS



1 LIFESAFETY PLAN
A002 1:200



2 KEYPLAN
A002 1:5000

Name of Practice:		Name of Project:		Location:		Contact:		Date:	
Martin Simmons Sweets Architects 200 - 113 Breithaupt Street Kitchener, ON, N2H 5G9		AVENUE ROAD PUBLIC SCHOOL RENOVATIONS		40 GAIL ST. CAMBRIDGE, ON N1R 4M2		GREG PICCINI		JAN 23, 2026	
Ontario Building Code Data Matrix Part 11									OBC Reference
Building Code Version:		O. Reg. 163/24		Last Amendment		O. Reg 5/25		Part 11	
1	Project Type:	<input type="checkbox"/> Addition <input checked="" type="checkbox"/> Basic Renovation <input type="checkbox"/> Change of Use <input type="checkbox"/> Addition and Renovation		Description: INTERIOR RENOVATIONS		Use		[A] 1.3.3.3B.	
2	Major Occupancy Classification:	A2 - SPRINKLERED		Elementary School		3.1.2.1.(1), 2.1.4.1.(1), and 11.2.1.			
3	Superimposed Major Occupancies:	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes				11.2, 3.2.2.5. to 3.2.2.8., and 2.2.1.			
6	Number of Streets/Firefighter access:	Existing Conditions				3.2.2.10, 3.2.5., 2.2.4.1., and 11.3.			
7	Building Size:	<input type="checkbox"/> Small <input type="checkbox"/> Medium <input checked="" type="checkbox"/> Large <input type="checkbox"/> > Large				11.2.1.1., and T.11.2.1.1.B-N.			
8	Existing Building Classification:	Change in Major Occupancy: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> Not Applicable (no change of major occupancy) Construction Index: N/A Hazard Index: N/A Impotence Category: <input type="checkbox"/> Low <input checked="" type="checkbox"/> Normal <input type="checkbox"/> High <input type="checkbox"/> Post-disaster				10.1.1.2., 11.2.1.1., T.11.2.1.1.A, T.11.2.1.1.B to N, 4.1.2.1.(3), 2.3.1., and 5.2.2.1.(2)			
9	Renovation type:	<input checked="" type="checkbox"/> Basic Renovation <input type="checkbox"/> Extensive Renovation				11.3.3.1, 11.3.3.2.			
10	Occupant Load	NO CHANGES				3.1.17., 2.1.2.2., and 11.4.2.2.			
11	Plumbing Fixture Requirements	NOT APPLICABLE - NO CHANGES				3.7.4., 11.3.4., 11.3.5., 11.4.2.4., and 11.4.2.5.			
12	Barrier-free Design:	NOT APPLICABLE - NO CHANGES				11.3.1.2., 11.3.2., 11.3.3.2.			
13	Reduction in Performance Level:	Structural: <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes By increase in occupant load: <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes By change of major occupancy: <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes Plumbing: <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes Sewage-systems: <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes Extension of combustible construction: <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes				11.4.2.1, 11.4.2.2, 11.4.2.3, 11.4.2.4, 11.4.2.5, 11.4.2.6.			
14	Compensating Construction:	<input checked="" type="checkbox"/> Not Required <input type="checkbox"/> Yes				11.4.3.1.			
15	Compliance Alternatives Proposed:	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes				11.5.1.			
16	Notes:								


All references are to Division B of the OBC unless Preceded by [A] for Division A and [C] for Division C.

NO	DATE	ISSUE
3	13/02/26	ISSUED FOR TENDER
2	23/01/26	ISSUED FOR PERMIT
1	01/12/25	SCHEMATIC DESIGN

MARTIN SIMMONS SWEETS

200 - 113 Breithaupt Street
Kitchener, ON, N2H 5G9
t 519.745.4754 f 519.745.0061

DO NOT SCALE THESE DRAWINGS. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND REPORT ANY ERRORS AND/OR OMISSIONS TO THE ARCHITECT/CONSULTANT BEFORE COMMENCING THE WORK. THESE DRAWINGS ARE THE PROPERTY OF THE ARCHITECT/CONSULTANT AND ARE NOT TO BE DUPLICATED OR DISTRIBUTED WITHOUT CONSENT FROM THE ARCHITECT/CONSULTANT.



PROJECT
AVENUE ROAD P.S.
RENOVATIONS

40 GAIL ST. CAMBRIDGE, ON

DRAWING
OBC MATRIX AND LIFESAFETY

DRAWN BY: CM
CHECKED BY: GP
DATE: FEBRUARY 13, 2026

SCALE: AS NOTED
DRAWING NO: A002

PROJECT NO: 25053

SCHEDULES

NEW ASSEMBLIES		
TAG	DIAGRAM	DESCRIPTION
WB1		CONCRETE MASONRY WALLS 190mm THICK CONCRETE MASONRY UNITS WALL TO U/S OF DECK, UNLESS NOTED OTHERWISE
WS1		STUD WALL FRP PANEL 12mm PLYWOOD BACKER 16mm GYP. BD. 92mm STEEL STUDS AT 400 O.C. 12mm PLYWOOD BACKER 16mm GYP. BD FRP PANEL WALL TO EXTEND TO U/S OF DECK, CW DEFLECTION TRACK, DOUBLE STUDS TO DOOR / WINDOW FRAMES
WS2		STUD WALL FRP PANEL 12mm PLYWOOD BACKER 16mm GYP. BD. 92mm STEEL STUDS AT 400 O.C. WALL TO EXTEND TO 150 ABOVE CEILING
CA1 AFF		TBAR CEILING 610 X 1220 CEILING TILES TBAR GRID SUSPENDED FROM STRUCTURE ABOVE

DOORS AND SCREENS										
DOOR SCHEDULE										
No.	DOOR SIZE	ELEV.	DOOR MATERIAL	DOOR FINISH	FRAME MATERIAL	FRAME FINISH	FRAME TYPE	HARDWARE	COMMENTS	
13a	914 x 2438	B	SCW	VENEER & STAIN	HM	PNT	F1	H1	MATCHING EDGES	
13b	914 x 2134	A	SCW	VENEER & STAIN	HM	PNT	F2	H2	MATCHING EDGES	
13c	914 x 2134	A	SCW	VENEER & STAIN	HM	PNT	F2	H3	MATCHING EDGES	

DOOR HARDWARE REFER ALSO TO DOOR HARDWARE SCHEDULE										
H1	H2	H3								
LEVER HANDLE	LEVER HANDLE	LEVER HANDLE								
LOCKABLE	LOCKABLE	LOCKABLE								
CLASSROOM FUNCTION	CLASSROOM FUNCTION	STOREROOM FUNCTION								
4 HINGES		PRESS TO LOCK								
OVERHEAD DOOR STOP		POWER DOOR OPERATOR								


DOOR AND SCREEN TO SPECIAL ED 13	
FRAMES TO BE HOLLOW METAL 50mm WIDE FRAMES ALL GLAZING TEMPERED	

ROOM FINISH SCHEDULE							
ROOM NO.	ROOM NAME	WALL FINISH	WALL BASE	FLOOR FINISH	CEILING FINISH	CEILING HEIGHT	COMMENTS
13	SPECIAL ED	PNT - 2 COLOURS	100mm RUBBER	RESILIENT SHEET	CA1 (ACT)	2750 / 3200	PAINT DOOR FRAME TO MATCH EXISTING (WHITE) WALL TILE TO KITCHEN BACKSPASH, ONE ACCENT WALL
13B	PANTRY	PNT - 1 COLOUR	100mm RUBBER	RESILIENT SHEET	CA1 (ACT)	2750	PAINT DOOR FRAME WHITE (MATCH EXISTING)
13C	BF W.R.	PNT/TILE TO ONE WALL	125mm TILE BUILT UP BASE	CERAMIC TILE	CA1 (ACT)	2750	SEE ELEVATIONS - PAINT DOOR FRAME WHITE (MATCH EXISTING)
21	CLASSROOM 21	PNT - 2 COLOURS	100mm RUBBER	RESILIENT SHEET	CA1 (ACT)	2600	ONE ACCENT WALL - DOOR FRAME PAINT TO MATCH EXISTING (DARK GREY)
22	CLASSROOM 22	PNT - 2 COLOURS	100mm RUBBER	RESILIENT SHEET	CA1 (ACT)	2600	ONE ACCENT WALL - DOOR FRAME PAINT TO MATCH EXISTING (DARK GREY)
23	CLASSROOM 23	PNT - 2 COLOURS	100mm RUBBER	RESILIENT SHEET	CA1 (ACT)	2600	ONE ACCENT WALL - DOOR FRAME PAINT TO MATCH EXISTING (DARK GREY)
110	WR	PNT - 1 COLOUR	100mm RUBBER	RESILIENT SHEET	EXISTING	EXISTING	PAINT DOOR FRAME TO MATCH EXISTING (DARK GREY)
136	COMPUTERS	PNT - 2 COLOURS	100mm RUBBER	RESILIENT SHEET	CA1 (ACT)	2600	ONE ACCENT WALL - DOOR FRAME PAINT TO MATCH EXISTING (DARK GREY)
814	CORRIDOR	EXISTING	100mm RUBBER	RESILIENT SHEET	EXISTING	EXISTING	
L1	LOCKER 1	PNT - 1 COLOUR	100mm RUBBER	EXISTING	NEW BULKHEAD / EXISTING		EXISTING WALL BASE & NEW WALL BASE - SEE PLANS
L2	LOCKER 2	PNT - 1 COLOUR	100mm RUBBER	EXISTING	NEW BULKHEAD / EXISTING		EXISTING WALL BASE & NEW WALL BASE - SEE PLANS


NO.	DATE	ISSUE
2	13/02/26	ISSUED FOR TENDER
1	23/01/26	ISSUED FOR PERMIT

GENERAL NOTES:


- PROVIDE WOOD BLOCKING FOR ALL TOILET ACCESSORIES MOUNTED IN GYPSUM BOARD PARTITIONS MAINTAIN INTEGRITY OF FIRE RATINGS WHERE ACCESSORIES ARE IN RATED WALLS.
- ALL STIPULATED FIXTURE MOUNTING HEIGHTS ARE NOTED HERE, U.N.O.




POWER DOOR OPERATOR



BARRIER FREE SIGNAGE



1 BARRIER FREE STANDARDS
A003 1 : 25



MARTIN SIMMONS SWEERS

200 - 113 Breithaupt Street
Kitchener, ON N2H 5G9
t 519.745.4754 f 519.745.0061

DO NOT SCALE THESE DRAWINGS. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND REPORT ANY ERRORS AND/OR OMISSIONS TO THE ARCHITECT / CONSULTANT BEFORE COMMENCING THE WORK.

THESE DRAWINGS ARE THE PROPERTY OF THE ARCHITECT / CONSULTANT AND ARE NOT TO BE REPRODUCED OR DISTRIBUTED WITHOUT CONSENT FROM THE ARCHITECT / CONSULTANT.



AVENUE ROAD P.S. RENOVATIONS

40 GAIL ST. CAMBRIDGE, ON


SCHEDULES AND STANDARDS

DRAWN BY: **CM** CHECKED BY: **GP**

DATE: **FEBRUARY 13, 2026**

SCALE: **As indicated** DRAWING NO: **A003**

PROJECT NO: **25053**




3	13/02/26	ISSUED FOR TENDER
2	23/01/26	ISSUED FOR PERMIT
1	01/12/25	SCHEMATIC DESIGN
NR	DATE	ISSUE

**MARTIN
SIMMONS
SWEERS**

200 - 113 Breithaupt Street
Kitchener, ON N2H 5G9
t 519.745.4754 f 519.745.0061

DO NOT SCALE THESE DRAWINGS. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND REPORT ANY ERRORS AND/OR OMISSIONS TO THE ARCHITECT/CONSULTANT BEFORE COMMENCING THE WORK.
THESE DRAWINGS ARE THE PROPERTY OF THE ARCHITECT/CONSULTANT AND ARE NOT TO BE REPRODUCED OR DISTRIBUTED WITHOUT CONSENT FROM THE ARCHITECT/CONSULTANT.



PROJECT
**AVENUE ROAD P.S.
RENOVATIONS**

40 GAIL ST. CAMBRIDGE, ON

DRAWING

OVERALL PLAN

DRAWN BY: **CM** CHECKED BY: **GP**

DATE: **FEBRUARY 13, 2026**

SCALE: **AS NOTED** DRAWING NR:

PROJECT NR: **A201**
25053

1 GROUND FLOOR PLAN
A201 1:200


REFLECTED CEILING LEGEND:

- | | | | |
|--|---|--|-------------------------------|
| | REFER TO HORIZONTAL ASSEMBLIES SHEET A003 | | RECESSED LINEAR DIFFUSER |
| | DENOTES CEILING HEIGHT (NOMINAL FROM TOP OF FINISHED FLOOR) | | RECESSED LINEAR FIXTURE |
| | DENOTES UPPER MILLWORK | | RECESSED ACT FIXTURE |
| | SUPPLY AIR DIFFUSER | | PENDANT FIXTURE |
| | EXHAUST GRILLE | | PENDANT FIXTURE |
| | ACCESS PANEL | | PENDANT FIXTURE |
| | RECESSED FIXTURE | | SURFACE MOUNTED LIGHT FIXTURE |
| | WALL MOUNTED LIGHT FIXTURE CENTERED ON VANTY | | PENDANT FIXTURE |
| | SURFACE MOUNTED LIGHT FIXTURE | | RECESSED LINEAR LIGHT FIXTURE |
| | PENDANT FIXTURE | | |

NOTE: REFER TO ELECTRICAL MECHANICAL DRAWINGS AND SPECIFICATIONS FOR MORE INFORMATION

CA1 - ARMSTRONG 823A CEILING TILES, 610 X 1219


PRELUDE GRID SYSTEM, SUSPEND FROM STRUCTURE



3 CLASSROOM 21 23 - REFLECTED CEILING PLAN
A202 1:100

RENOVATION NOTES:


- FILL ALL HOLES IN WALLS.
- MAKE GOOD ALL BLOCK WALL SURFACES PRIOR TO BEGINNING NEW INSTALLATIONS.
- EXISTING ROOM DIMENSIONS ARE ALL APPROXIMATE. VERIFY ON SITE.
- PAIN BOTH SIDES OF DOOR FRAMES.



2 CLASSROOM 21 - 23 - RENOVATION PLAN
A202 1:100

DEMOLITION NOTES:

- CONTRACTOR TO EXAMINE EXISTING CONDITIONS ON SITE AFFECTING DIVISION OF WORK. NO CLAIM FOR PAYMENT SHALL BE MADE FOR EXTRA WORK MADE NECESSARY BY CIRCUMSTANCES ENCOUNTERED DUE TO CONDITIONS WHICH WERE VISIBLE UPON OR REASONABLY INFERRABLE FROM AN EXAMINATION OF THE SITE PRIOR TO SUBMISSION OF THE BID. THIS INCLUDES BUT IS NOT LIMITED TO THE SERVICES ABOVE THE CEILING.
- REMOVE, STORE AND PROTECT MATERIALS AND FIXTURES FOR REUSE OR TURNOVER TO LANDLORD AS INDICATED ON DRAWINGS.
- ELEMENTS OF THE BASE BUILDING, SUCH AS (BUT NOT LIMITED TO) CEILING COMPONENTS, LIGHT FIXTURES, SPEAKERS, ETC. REMAIN THE PROPERTY OF AND SHALL BE TURNED OVER TO THE LANDLORD AND STORED WHERE DIRECTED UNLESS SCHEDULED FOR REUSE AND/OR SHOWN TO BE REMOVED AND RELOCATED UNDER THIS CONTRACT.
- MATCH EXISTING TYPE OF CONSTRUCTION WORKMANSHIP AND FINISHES TO PATCH OR EXTEND EXISTING WORK. CONTRACTOR TO DETERMINE SPECIFICATIONS BY INSPECTION.
- WHERE NEW WORK CONNECTS WITH EXISTING AND WHERE EXISTING WORK IS ALTERED, ALL NECESSARY CUTTING AND FITTING REQUIRED TO MAKE SATISFACTORY CONNECTIONS WITH THE EXISTING WORK SHALL BE PERFORMED UNDER THIS CONTRACT, SO AS TO LEAVE THE ENTIRE WORK IN A FINISHED AND WORKMANLIKE CONDITION. COORDINATE WITH OTHER TRADES TO ESTABLISH EXACT EXTENT OF DEMOLITION REQUIRED.
- HOARDING SCREEN SHALL BE ERECTED WITH MINIMAL NOISE, DUST AND INCONVENIENCE TO ADJACENT OCCUPIED AREAS. HOARDING SCREEN SHALL BE REMOVED UPON COMPLETION AND ANY AND ALL DAMAGED OR BLEMISHED ADJOINING WORK SHALL BE MADE GOOD. PROTECT EXISTING HVAC UNITS FROM CONTAMINATION AND REPLACE FILTERS UPON COMPLETION OF DEMOLITION.
- CONTRACTOR TO PROTECT ALL EXISTING FINISHES TO REMAIN FROM DAMAGE DURING NEW CONSTRUCTION. CONTRACTOR IS RESPONSIBLE TO PROTECT AND MAINTAIN THE INTEGRITY OF THE BUILDING CORE.
- CONTRACTOR TO PATCH CEILING AND ADJACENT WALLS. ALL STRIPPED SURFACES TO BE LEFT IN SMOOTH CONDITION SUITABLE TO RECEIVE NEW FINISH.
- CONTRACTOR TO REMOVE DEBRIS RESULTING FROM DEMOLITION AND CONSTRUCTION AS SPECIFIED. COORDINATE REMOVAL WITH LANDLORD ON A DAILY BASIS FOR THE DURATION OF WORK.
- UPON COMPLETION OF WORK TOOLS, SURPLUS MATERIALS AND WASTE SHALL BE REMOVED. PROVIDE CLEANUP EQUIPMENT AND LEAVE THE PREMISES IN CLEAN CONDITION.
- THROUGHOUT THE ENTIRE CONSTRUCTION PERIOD, PROPER AND SAFE MEANS OF FIRE EXIT SHALL BE PROVIDED FROM ALL ZONES OF THE BUILDING AT ALL TIMES TO THE APPROVAL OF THE AUTHORITIES HAVING JURISDICTION.
- ALL MATERIALS AND FINISHES WHICH ARE DAMAGED OR DISTURBED DURING THE PROGRESS OF ADDITIONS AND RECONSTRUCTION UNDER THE CONTRACT SHALL BE MADE GOOD.
- REMOVE AND PROPERLY DISPOSE OF ANY AND ALL EXISTING FLOOR FINISHES AND ADHESIVES AND MAKE GOOD EXISTING FLOOR SLAB AS REQUIRED TO ACCEPT NEW FINISHES AS SCHEDULED AND/OR SHOWN ON DRAWINGS.
- PROTECT EXISTING PERIMETER WINDOW BLINDS DURING CONSTRUCTION BY SUITABLE METHODS TO THE APPROVAL OF THE LANDLORD/TENANT COORDINATOR AND THOROUGHLY CLEAN BLINDS UPON COMPLETION OF WORK. IF NO PRACTICAL MEANS OF PROTECTION CAN BE FOUND, THE CONTRACTOR SHALL REMOVE THE EXISTING BLINDS AND STORE WHERE DIRECTED AND REINSTALL WHEN CONSTRUCTION IS COMPLETE.
- PROTECT PERIMETER UNIT VENTILATORS FROM DUST AND DAMAGES. CLEAN INDUCTION UNIT COVERS AND DIFFUSER GRILLES AFTER COMPLETION OF DEMOLITION WORK.



1 CLASSROOM 21 - 23 - DEMOLITION PLAN
A202 1:100

3	13/02/26	ISSUED FOR TENDER
2	23/01/26	ISSUED FOR PERMIT
1	01/12/25	SCHEMATIC DESIGN
NR	DATE	ISSUE

**MARTIN
SIMMONS
SWEERS**

200 - 113 Breithaupt Street
Kitchener, ON N2H 5G9
t 519.745.4754 f 519.745.0061

DO NOT SCALE THESE DRAWINGS. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND REPORT ANY ERRORS AND/OR OMISSIONS TO THE ARCHITECT/CONSULTANT BEFORE COMMENCING THE WORK.

THESE DRAWINGS ARE THE PROPERTY OF THE ARCHITECT/CONSULTANT AND ARE NOT TO BE DUPLICATED OR DISTRIBUTED WITHOUT CONSENT FROM THE ARCHITECT/CONSULTANT.



PROJECT
**AVENUE ROAD P.S.
RENOVATIONS**

40 GAIL ST. CAMBRIDGE, ON

DRAWING
**RENOVATION PLANS -
CLASSROOM 21-23**

DRAWN BY
CM


CHECKED BY
GP

DATE
FEBRUARY 13, 2026


SCALE
AS NOTED

PROJECT NR
25053


A202




5 SECTION DETAIL - LOCKERS AT CR 13
A205 1:20



6 LOCKER ELEVATION 2
A205 1:25




4 LOCKER ELEVATION
A205 1:20



2 LOCKER SECTION DETAIL
A205 1:20



3 NEW LOCKERS - REFLECTED CEILING PLAN
A205 1:50



1 NEW LOCKERS - FLOOR PLAN
A205 1:50


NO	DATE	ISSUE
3	13/02/26	ISSUED FOR TENDER
2	23/01/26	ISSUED FOR PERMIT
1	01/12/25	SCHEMATIC DESIGN

MARTIN SIMMONS SWEERS

200 - 113 Breithaupt Street
Kitchener, ON N2H 5G9
t 519.745.4754 f 519.745.0061

DO NOT SCALE THESE DRAWINGS. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND REPORT ANY ERRORS AND/OR OMISSIONS TO THE ARCHITECT/CONSULTANT BEFORE COMMENCING THE WORK.

THESE DRAWINGS ARE THE PROPERTY OF THE ARCHITECT/CONSULTANT AND ARE NOT TO BE DUPLICATED OR DISTRIBUTED WITHOUT CONSENT FROM THE ARCHITECT/CONSULTANT.



PROJECT
AVENUE ROAD P.S. RENOVATIONS

40 GAIL ST. CAMBRIDGE, ON

DRAWING

RENOVATION PLANS

DRAWN BY **CM** CHECKED BY **GP**

DATE **FEBRUARY 13, 2026**

SCALE **As indicated** DRAWING NO

PROJECT NO **A205**
25053

REFLECTED CEILING LEGEND:

- CA- REFER TO HORIZONTAL ASSEMBLIES SHEET A200
- DENOTES CEILING HEIGHT (NOMINAL FROM TOP OF FINISHED FLOOR)
- DENOTES UPPER MILLWORK
- SUPPLY AIR DIFFUSER
- EXHAUST GRILLE
- ⊠ ACCESS PANEL
- RECESSED FIXTURE
- WALL MOUNTED LIGHT FIXTURE CENTERED ON VANITY
- SURFACE MOUNTED LIGHT FIXTURE
- PENDANT FIXTURE
- RECESSED LINEAR DIFFUSER
- RECESSED LINEAR FIXTURE
- ⊠ RECESSED ACT FIXTURE
- PENDANT FIXTURE
- PENDANT FIXTURE
- PENDANT FIXTURE
- SURFACE MOUNTED LIGHT FIXTURE
- PENDANT FIXTURE
- RECESSED LINEAR LIGHT FIXTURE


NOTE: REFER TO ELECTRICAL MECHANICAL DRAWINGS AND SPECIFICATIONS FOR MORE INFORMATION

CA1 - ARMSTRONG 823A CEILING TILES, 610 X 1219


PRELUDE GRID SYSTEM, SUSPEND FROM STRUCTURE




7 SPECIAL ED NORTH WALL ELEVATION
A206 1:20




6 RM. 109 RENOVATION PLAN
A206 1:50




2 C.R. 13 - RENOVATION PLAN
A206 1:100




5 SECTION DETAIL - SPECIAL ED 13
A206 1:20



1 C.R. 13 DEMOLITION PLAN
A206 1:100



4 RM. 110 & C.R. 7 - RENOVATION PLAN
A206 1:50



3 C.R. 13 - NEW REFLECTED CEILING PLAN
A206 1:100

NO	DATE	ISSUE
3	13/02/26	ISSUED FOR TENDER
2	23/01/26	ISSUED FOR PERMIT
1	01/12/25	SCHEMATIC DESIGN

MARTIN SIMMONS SWEERS

200 - 113 Breithaupt Street
Kitchener, ON N2H 5G9
t 519.745.4754 f 519.745.0061

DO NOT SCALE THESE DRAWINGS. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND REPORT ANY ERRORS AND/OR OMISSIONS TO THE ARCHITECT /CONSULTANT BEFORE COMMENCING THE WORK.



PROJECT
AVENUE ROAD P.S. RENOVATIONS

40 GAIL ST. CAMBRIDGE, ON

DRAWING
SPECIAL ED ROOM NO. 13, WR 110, KD 7, RM. 109

DRAWN BY **CM** CHECKED BY **GP**

DATE **FEBRUARY 13, 2026**


SCALE **AS NOTED** DRAWING NO

PROJECT NO **A206**
25053


**REMOVALS, STORE TO REINSTALL AND
DEMOLITION NOTES**

- 1 REMOVE AND STORE TO REINSTALL
- 2 DEMOLISH
- 3 PROTECT IN PLACE
- 4 MAKE GOOD EXISTING TILE AS NEEDED
- 5 REMOVE THRESHOLD TO FACILITATE NEW SHEET INSTALLATION
- 6 REMOVE THRESHOLD TO FACILITATE NEW SHEET INSTALLATION, REINSTALL WHEN SHEET INSTALLATION IS COMPLETE
- 7 GRIND OFF SURFACE OF POLISHED CONCRETE FLOOR, APPLY SKIM COAT THROUGHOUT.


(ITEMS IDENTIFIED ON THESE VIEWS ARE IN ADDITION TO FLOORING REMOVALS, AND CEILING REMOVALS IDENTIFIED IN THE PLAN VIEWS)




9 FLOORING TRANSITION SECTION DETAIL 5
A208 1:5




8 FLOORING TRANSITION SECTION DETAIL 4
A208 1:5




7 FLOORING TRANSITION SECTION DETAILS 3A & 3B
A208 1:5




DETAIL 3A
DEMOLISH ANY EXISTING TRANSITIONS TO ALLOW FOR NEW FLOORING INSTALLATION



6 FLOORING TRANSITION SECTION DETAIL 2
A208 1:5



5 FLOORING TRANSITION SECTION DETAIL 1
A208 1:5



1 CORRIDOR 814 FLOORING - ALTERNATE PRICE
A208 1:100

1 13/02/26 ISSUED FOR TENDER
NO DATE ISSUE

**MARTIN
SIMMONS
SWEERS**

300 - 113 Breithaupt Street
Kitchener, ON N2H 5G9
t 519.745.4754 f 519.745.0061

DO NOT SCALE THESE DRAWINGS. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND REPORT ANY ERRORS AND/OR OMISSIONS TO THE ARCHITECT / CONSULTANT BEFORE COMMENCING THE WORK.
THESE DRAWINGS ARE THE PROPERTY OF THE ARCHITECT / CONSULTANT AND ARE NOT TO BE DUPLICATED OR DISTRIBUTED WITHOUT CONSENT FROM THE ARCHITECT / CONSULTANT.



PROJECT
**AVENUE ROAD P.S.
RENOVATIONS**

40 GAIL ST. CAMBRIDGE, ON

DRAWING
**CORRIDOR FLOORING
AND FLOORING
DETAILS**

DRAWN BY _____ CHECKED BY
GP

DATE
FEBRUARY 13, 2026

SCALE AS NOTED DRAWING NO.

PROJECT NO. **A208**
25053

