

Part 1 General

1.1 GENERAL NOTES

- .1 Find the Door Schedule on the following pages.
- .2 This schedule MUST be read in conjunction with a complete set of drawings and a complete Hardware Schedule.
- .3 Refer to AD Drawings for door and frame types and details.

1.2 ABBREVIATIONS CODE

- .1 The following abbreviations are used in the Door Schedule.

Code	Reference
.1 DC	Door Contact (security)
.2 FR, FRG	Fire rated glazing
.3 P	Paint
.4 HM	Hollow Metal
.5 TP	Tempered Glass
.6 45 MIN	45 minute fire rating
.7 20 MIN	20 minute fire rating
.8 HT	Heavy Traffic – see spec for welded seams, special reinforcing.
.9 B/F	Barrier-Free
.10 WD	Laminate Faced Wood Door
.11 PLAM	Plastic Laminate Finish on Wood Door
.12 ALUM.	Aluminum
.13 ANNO.	Anodized Finish
.14 CW	Curtain Wall Designation

1.3 DOOR SCHEDULE

- .1 Door Schedule designation “DC” refers to “Door Contacts” used in the security system. Refer to Electrical Drawings and Division 16 Specifications for locations, zoning and description of system.

END OF SECTION

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
FIRST FLOOR															
101 A	VESTIBULE 101	2X1000	2150	-	HT	F	ALUM	ANNO	TP	CW1	ALUM	ANNO	Y	TP	COORDINATE DOOR WIDTH WITH CURTAIN WALL MANUFACTURER. CONTINUOUS HINGES. INSULATED DOOR & FRAME. B/F DOOR OPERATOR, ELECTRIC SECURITY STRIKE TO OFFICE. COORDINATE DOOR WIDTH WITH CURTAIN WALL MANUFACTURER. COORD WITH ELEC FOR VIDEO INTERCOM SYSTEM / CARD READER, CONTINUOUS HINGES
101 B	VESTIBULE 101	2X1000	2150	-	HT	F	ALUM	ANNO	TP	CW1	ALUM	ANNO	Y	TP	
101 C	VESTIBULE 101	2X1000	2150	-	HT	C	HM	P	TP	4	HM	P	-	TP	B/F DOOR OPERATOR
101 D	VESTIBULE 101	2X1000	2150	-	HT	C	HM	P	TP	4	HM	P	-	TP	
103 A	GENERAL OFFICE 103	1050	2150	-	-	C	HM	P	TP	5	HM	P	-	-	B/F DOOR OPERATOR
104 A	OFFICE 104	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
105 A	OFFICE 105	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
106 A	OFFICE 106	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
107 A	MEETING 107	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
108 A	HEALTH 108	950	2150	-	-	C	WD	PLAM	TP	1	HM	P	-	-	

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
109 A	BF W/R 109	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	B/F DOOR OPERATOR.
110 A	COPY 110	950	2150	-	-	D	HM	P	TP	1	HM	P	-	-	
110 B	COPY 110	950	2150	-	-	D	HM	P	TP	1	HM	P	-	-	
111 A	STAFF LOUNGE 111	950	2150	45 min.	-	D	HM	P	FR	1	HM	P	-	-	
112 A	SPRINKLER 112	950	2150	-	-	A	HM	P	-	1	HM	P	Y	-	INSULATED DOOR & FRAME.
112 B	SPRINKLER 112	1100 W x 2200 H DOOR OPENING IN WALL. REFER TO FLOOR PLANS. DOUBLE BULLNOSE BLOCK AT JAMBS													
113 A	ELECTRICAL ROOM 113	950	2150	45 min.	-	A	HM	P	-	1	HM	P	-	-	STANLEY CANADA CORPORTATION LOCKS IS REQUIRED PER HYDRO'S "CONDITIONS OF SERVICE".
115 A	KINDERGARTEN CLASSROOM 115	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	DOOR CONTACT FOR AUDIBLE BUZZER. COORD WITH ELEC. DWGS. POWER SWITCH IN MCP. DOOR OPENS 180 DEGREES.
116 A	B/F W/R 116	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	B/F DOOR OPERATOR.
117 A	STORAGE 117	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
118 A	STORAGE 118	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
119 A	B/F W/R 119	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	B/F DOOR OPERATOR.
120 A	KINDERGARTEN CLASSROOM 120	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	DOOR CONTACT FOR AUDIBLE BUZZER. COORD WITH ELEC. DWGS. POWER SWITCH IN MCP. DOOR OPENS 180 DEGREES.
121 A	KINDERGARTEN CLASSROOM 121	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	DOOR CONTACT FOR AUDIBLE BUZZER. COORD WITH ELEC. DWGS. POWER SWITCH IN MCP. DOOR OPENS 180 DEGREES.
122 A	B/F W/R 122	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	B/F DOOR OPERATOR.
123 A	STORAGE 123	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
124 A	STORAGE 124	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
125 A	B/F W/R 125	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	B/F DOOR OPERATOR.
126 A	KINDERGARTEN CLASSROOM 126	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	DOOR CONTACT FOR AUDIBLE BUZZER. COORD WITH ELEC. DWGS. POWER SWITCH IN MCP. DOOR OPENS 180 DEGREES.
114 A	WASTE & CUSTODIAL STORAGE AREA 114	1100	2150	45 min.	-	A	HM	P	-	1	HM	P	-	-	
114 B	WASTE & CUSTODIAL STORAGE AREA 114	950	2150	-	-	A	HM	P	-	1	HM	P	Y	-	INSULATED DOOR & FRAME.
114 C	WASTE & CUSTODIAL STORAGE AREA 114	1830	2135	-	-	-	HM	P	-		HM	P	Y	-	INSULATED STEEL OVERHEAD COILING DOOR

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
127A A	VESTIBULE 127A	2X1000	2150	-	HT	C	HM	P	TP	2	HM	P	-	-	B/F DOOR OPERATOR. REMOVABLE MULLION. 1 DOOR TO OPEN 180 DEGREES. SEE PLANS
127A B	VESTIBULE 127A	2X1000	2150	-	HT	F	ALUM	ANNO	TP	CW2	ALUM	ANNO	Y	TP	B/F DOOR OPERATOR. INSULATED DOOR & FRAME. COORDINATE DOOR WIDTH WITH CURTAIN WALL MANUFACTURER. CONTINUOUS HINGES. COORD. WITH ELEC FOR CARD READER. REMOVABLE MULLION.
128 A	STAIR B 128	1000	2150	45 min.	HT	B	HM	P	FR	1	HM	P	-	TP	
128 B	STAIR B 128	2X1000	2150	-	HT	F	ALUM	ANNO	TP	CW3	ALUM	ANNO	Y	TP	INSULATED DOOR & FRAME. COORDINATE DOOR WIDTH WITH CURTAIN WALL MANUFACTURER. CONTINUOUS HINGES.
129 A	KINDERGARTEN CLASSROOM 129	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	DOOR CONTACT FOR AUDIBLE BUZZER. COORD WITH ELEC. DWGS. POWER SWITCH IN MCP
129 B	KINDERGARTEN CLASSROOM 129	1000	2150	-	-	C	HM	P	TP	6	HM	P	Y	TP	INSULATED DOOR AND FRAME. PROVIDE CONTACT IN FRAME TO ACTIVATE BUZZER IN ROOM WHEN DOOR IS OPEN. POWER SWITCH IN MCP
130 A	STORAGE 130	950	2150	-	-	A	HM	P	TP	1	HM	P	-	-	
131 A	WASHROOM 131	950	2150	-	-	A	HM	P	TP	1	HM	P	-	-	
132 A	WASHROOM 132	950	2150	-	-	A	HM	P	TP	1	HM	P	-	-	
133 A	STORAGE 133	950	2150	-	-	A	HM	P	TP	1	HM	P	-	-	
134 A	KINDERGARTEN CLASSROOM 134	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	DOOR CONTACT FOR AUDIBLE BUZZER. COORD WITH ELEC. DWGS. POWER SWITCH IN MCP

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
134 B	KINDERGARTEN CLASSROOM 134	1000	2150	-	-	C	HM	P	TP	6	HM	P	Y	TP	INSULATED DOOR AND FRAME. PROVIDE CONTACT IN FRAME TO ACTIVATE BUZZER IN ROOM WHEN DOOR IS OPEN. POWER SWITCH IN MCP
135 A	VESTIBULE 135	2X1000	2150	-	HT	C	HM	P	TP	13	HM	P	-	-	B/F DOOR OPERATOR
135 B	VESTIBULE 135	2X1000	2150	-	HT	C	HM	P	TP	2	HM	P	Y	TP	B/F DOOR OPERATOR, INSULATED DOOR AND FRAME. COORD. WITH ELEC FOR CARD READER
136 A	KINDERGARTEN CLASSROOM 136	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	DOOR CONTACT FOR AUDIBLE BUZZER. COORD WITH ELEC. DWGS. POWER SWITCH IN MCP
136 B	KINDERGARTEN CLASSROOM 136	1000	2150	-	-	C	HM	P	TP	6	HM	P	Y	TP	INSULATED DOOR AND FRAME. PROVIDE CONTACT IN FRAME TO ACTIVATE BUZZER IN ROOM WHEN DOOR IS OPEN. POWER SWITCH IN MCP
137 A	STORAGE 137	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
138 A	WASHROOM 138	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
139 A	WASHROOM 139	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
140 A	STORAGE 140	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
141 A	KINDERGARTEN CLASSROOM 141	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
141 B	KINDERGARTEN CLASSROOM 141	1000	2150	-	-	C	HM	P	TP	6	HM	P	Y	TP	INSULATED DOOR AND FRAME. PROVIDE CONTACT IN FRAME TO ACTIVATE BUZZER IN ROOM WHEN DOOR IS OPEN. POWER SWITCH IN MCP

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
142 A	W/R 142	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
143 A	W/R 143	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
144 A	SENSORY 144	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
145 A	SPECIAL ED. STORAGE & RESOURCES 145	950	2150	-	-	D	HM	P	TP	1	HM	P	-	-	
146 A	PRIMARY LITERACY 146	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
146A A	MACHINE ROOM 146A	1050	2150	45 min.	-	A	HM	P	-	1	HM	P	-	-	
149 A	CORRIDOR 149	3X1200	2150	-	HT	C	HM	P	TP	7	HM	P	-	-	REFER TO FLOOR PLAN FOR DOOR SWING. ELECTROMAGNETIC HOLDER ON ALL DOORS. EM IN CLOSER FOR MIDDLE LEAF
150 A	LIFESKILLS CLASSROOM 150	1050	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	B/F DOOR OPERATOR
151 A	KITCHENETTE 151	1050	2150	45 min.	-	D	HM	P	FR	1	HM	P	-	-	ELECTROMAGNETIC HOLDER
151 B	KITCHENETTE 151	1050	2150	45 min.	-	D	HM	P	FR	1	HM	P	-	-	ELECTROMAGNETIC HOLDER
152 A	UTR 152	1000	2150	45 min.	-	A	HM	P	-	1	HM	P	-	-	B/F DOOR OPERATOR. EMERGENCY CALL ASSIST.

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
154 A	SENSORY 154	1050	2150	45 min.	-	D	HM	P	FR	1	HM	P	-	-	
155 A	LIFESKILLS CLASSROOM 155	1050	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	B/F DOOR OPERATOR
157 A	STAIR A 157	2X1000	2150	45 min.	HT	B	HM	P	FR	2	HM	P	-	-	180° SWING PER DRAWINGS
157 B	STAIR A 157	2X1000	2150	-	HT	F	ALUM	ANNO	TP	CW4	ALUM	ANNO	Y	TP	INSULATED DOOR & FRAME. COORDINATE DOOR WIDTH WITH CURTAIN WALL MANUFACTURER. CONTINUOUS HINGES. COORD WITH ELEC FOR CARD READER
158 A	ELEVATOR	ELEVATOR DOORS - REFER TO SPECIFICATIONS													
159 A	KITCHENETTE 159	950	2150	45 min.	-	D	HM	P	FR	1	HM	P	-	-	
160 A	WR 160	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
161 A	MUSIC ROOM 161	950	2150	20 min.	-	D	WD	PLAM	FR	8	HM	P	-	FR	
162A A	PRACTICE ROOM 162A	950	2150	-	-	C	HM	P	TP	1	HM	P	-	-	
162B A	PRACTICE ROOM 162B	950	2150	-	-	C	HM	P	TP	1	HM	P	-	-	
163 A	GYM STORAGE 163	2X1000	2150	-	-	A	HM	P	-	3	HM	P	-	-	

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
164 A	GYMNASIUM 164	2X1000	2150	20 min.	HT	D	HM	P	FR	9	HM	P	-	FR	REMOVABLE MULLION
164 B	GYMNASIUM 164	2X1000	2150	-	-	F	ALUM	ANNO	TP	CW5	ALUM	ANNO	Y	TP	INSULATED DOOR & FRAME. REMOVABLE MULLION. COORDINATE DOOR WIDTH WITH CURTAIN WALL MANUFACTURER. CONTINUOUS HINGES
164 C	GYMNASIUM 164	2X1000	2150	-	-	F	ALUM	ANNO	TP	CW6	ALUM	ANNO	Y	TP	INSULATED DOOR & FRAME. COORDINATE DOOR WIDTH WITH CURTAIN WALL MANUFACTURER. CONTINUOUS HINGES
164A A	GYM STORAGE 164A	1000	2150	-	-	A	HM	P	-	1	HM	P	-	-	
165 A	BOYS CHANGE RM	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
166 A	GIRLS CHANGE RM	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
167 A	INSTRUCTOR OFFICE	950	2150	-	-	C	HM	P	TP	1	HM	P	-	-	
FIRST FLOOR - CHILD CARE FACILITY															
401 A	VESTIBULE 401	2X1000	2150	-	HT	F	ALUM	ANNO	TP	CW8	ALUM	ANNO	Y	TP	B/F DOOR OPERATOR, ELECTRIC SECURITY STRIKE TO OFFICE. COORDINATE DOOR WIDTH WITH CURTAIN WALL MANUFACTURER. COORD WITH ELEC FOR VIDEO INTERCOM SYSTEM / CARD READER, CONTINUOUS HINGES
401 B	VESTIBULE 401	2X1000	2150	-	HT	C	HM	P	TP	11	HM	P	-	-	B/F DOOR OPERATOR, REMOVABLE MULLION. COORD WITH ELEC FOR CARD READER
401 C	VESTIBULE 401	2X1000	2150	-	HT	C	HM	P	TP	3	HM	P	-	-	B/F DOOR OPERATOR, REMOVABLE MULLION. COORD. WITH ELEC FOR CARD READER

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
402 A	OFFICE 402	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
405 A	INFANT 405	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
403 A	W/R 403	950	2150	-	-	G	WD	PLAM	-	12	HM	P	-	TP	100mm UNDERCUT DOOR, DUTCH DOOR
403A A	STORAGE 403A	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
404 A	SLEEPING ROOM 404	1100 W x 2200 H DOOR OPENING IN WALL. REFER TO ELEVATION. DOUBLE BULLNOSE BLOCK AT JAMBS													
406 A	TODDLER 406	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
407 A	B/F W/R 407	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	B/F DOOR OPERATOR, ELECTRONIC LOCKING MECHANISM
408 A	W/R 408	950	2150	-	-	H	WD	PLAM	-	1	HM	P	-	-	100mm UNDERCUT DOOR, HALF DOOR
409 A	W/R 409	950	2150	-	-	H	WD	PLAM	-	1	HM	P	-	-	100mm UNDERCUT DOOR, HALF DOOR
410 A	COT STORAGE 410	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
410 B	COT STORAGE 410	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
411 A	TODDLER 411	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
412 A	PRE SCHOOL 412	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
413 A	WASHROOM 413	950	2150	-	-	H	WD	PLAM	-	1	HM	P	-	-	100mm UNDERCUT DOOR, HALF DOOR
414 A	WASHROOM 414	950	2150	-	-	H	WD	PLAM	-	1	HM	P	-	-	100mm UNDERCUT DOOR, HALF DOOR
415 A	COT STORAGE 415	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
415 B	COT STORAGE 415	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
416 A	PRE SCHOOL 416	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
417 A	STAFF 422	950	2150	-	-	D	HM	P	TP	1	HM	P	-	-	
418 A	LAUNDRY 420	950	2150	-	-	D	HM	P	TP	1	HM	P	-	-	
419 A	KITCHEN 419	950	2150	-	-	D	HM	P	TP	1	HM	P	-	-	
421 A	UTILITY 423	950	2150	45 min.	-	A	HM	P	-	1	HM	P	-	-	

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
422 A	VESTIBULE 422	2X1000	2150	-	HT	C	HM	P	TP	10	HM	P	Y	TP	B/F DOOR OPERATOR, INSULATED DOOR AND FRAME. COORD. WITH ELEC FOR CARD READER
422 B	VESTIBULE 422	2X1000	2150	-	HT	C	HM	P	TP	2	HM	P	-	TP	B/F DOOR OPERATOR
423 A	STAIR C 423	2X1000	2150	45 min.	HT	B	HM	P	FR	2	HM	P	-	-	DOOR TO HAVE LOCKSET ON BOTH SIDES. NO PANIC HARDWARE AS THIS DOOR IS NOT AN EXIT FROM CORRIDOR 420.
423 B	STAIR C 423	2X1000	2150	-	HT	F	ALUM	ANNO	TP	CW7	ALUM	ANNO	Y	TP	INSULATED DOOR & FRAME. COORDINATE DOOR WIDTH WITH CURTAIN WALL MANUFACTURER. CONTINUOUS HINGES.

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
SECOND FLOOR															
201 A	STAIR A 201	2X1000	2150	45 min.	HT	B	HM	P	FR	2	HM	P	-	-	ELECTROMAGNETIC HOLDER
202 A	ELEVATOR	ELEVATOR DOORS - REFER TO SPECIFICATIONS													
204 A	SEMINAR ROOM 204	950	2150	-	-	D	WD	PLAM	-	15	HM	P	-	-	
205 A	HUB 205	1000	2150	-	-	A	HM	P	-	1	HM	P	-	-	
206 A	ACAD STORAGE & STAFF RESOURCE 206	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
207 A	LAPTOP STORAGE 207	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
210A A	SEMINAR ROOM 210A	950	2150	-	-	D	WD	PLAM	-	14	HM	P	-	-	
211 A	RESOURCE ROOM 211	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
211 B	RESOURCE ROOM 211	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
212 A	SPECIAL EDUCATION CLASSROOM 212	1050	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
213 A	CLASSROOM 213	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
214 A	CLASSROOM 214	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
214 B	CLASSROOM 214	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
215 A	CLASSROOM 215	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
216 A	CLASSROOM 216	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
216 B	CLASSROOM 216	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
217 A	CLASSROOM 217	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
218 A	CLASSROOM 218	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
220 A	STAIR B 220	2X1000	2150	45 min.	HT	B	HM	P	FR	2	HM	P	-	-	ELECTROMAGNETIC HOLDER, 180° SWING PER DRAWINGS
221 A	RESOURCE ROOM 221	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
222 A	CLASSROOM 222	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
223 A	CLASSROOM 223	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
223 B	CLASSROOM 223	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
224 A	CLASSROOM 224	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
225 A	CLASSROOM 225	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
225 B	CLASSROOM 225	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
226 A	CLASSROOM 226	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
227 A	CLASSROOM 227	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
229 A	QUIET ROOM 229	950	2337	-	-	J	ALUM	ANNO	TP	CW17	ALUM	ANNO	-	TP	
231 A	QUIET ROOM 231	950	2337	-	-	J	ALUM	ANNO	TP	CW17	ALUM	ANNO	-	TP	
232 A	B/F W/R 232	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	B/F DOOR OPERATOR
235 A	W/R 235	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
236 A	CUSTODIAL 236	1000	2150	-	-	A	HM	P	-	1	HM	P	-	-	
237 A	MECHANICAL 237	1100	2150	45 min.	-	A	HM	P	-	1	HM	P	-	-	
237 B	MECHANICAL 237	1100	2150	45 min.	-	A	HM	P	-	1	HM	P	-	-	
240 A	QUIET ROOM 240	950	2337	-	-	J	ALUM	ANNO	TP	CW27	ALUM	ANNO	-	TP	
241 A	W/R 24	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
242 A	W/R 242	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
243 A	B/F W/R 243	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	B/F DOOR OPERATOR
245 A	QUIET ROOM 245	950	2337	-	-	J	ALUM	ANNO	TP	CW18	ALUM	ANNO	-	TP	
246 A	W/R 246	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
247 A	W/R 247	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
248 A	QUIET ROOM 248	950	2337	-	-	J	ALUM	ANNO	TP	CW18	ALUM	ANNO	-	TP	

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
250 A	STAIR B 250	2X1000	2150	45 min.	HT	B	HM	P	FR	2	HM	P	-	-	ELECTROMAGNETIC HOLDER, 180° SWING PER DRAWINGS
251 A	CLASSROOM 251	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
252 A	CLASSROOM 252	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
252 B	CLASSROOM 252	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
253 A	CLASSROOM 253	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
254 A	CLASSROOM 254	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
254 B	CLASSROOM 254	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
255 A	CLASSROOM 255	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
256 A	CLASSROOM 256	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
256 B	CLASSROOM 256	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	

THIRD FLOOR

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
301 A	STAIR A 301	2X1000	2150	45 min.	HT	B	HM	P	FR	2	HM	P	-	-	ELECTROMAGNETIC HOLDER, 180° SWING PER DRAWINGS
301 B	STAIR A 301	1000	2150	-	-	A	HM	P	-	1	HM	P	Y	-	INSULATED DOOR FRAME. DOOR SILL AT 500mm. REFER TO ARCH. DETAILS.
305 A	LIBRARY MEZZANINE/SEMINAR 305	950	2150	45 min.	-	B	HM	P	FR	CW20	ALUM	ANNO	-	TP	RATED HOLLOW METAL DOOR IN ALUM. CURTAIN WALL. CURTAIN WALL PROTECTED WITH WINDOW SPRINKLERS
302 A	ELEVATOR	ELEVATOR DOORS - REFER TO SPECIFICATIONS													
307A A	SEMINAR ROOM 307A	950	2150	-	-	D	WD	PLAM	-	14	HM	P	-	-	
308 A	RESOURCE 308	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
308 B	RESOURCE 308	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
309 A	CLASSROOM 309	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
310 A	CLASSROOM 310	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
310 B	CLASSROOM 310	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
311 A	CLASSROOM 311	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
312 A	APPLICATIONS 312	1050	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
312A A	DUST EXTRACTOR 312	1000	2150	-	-	A	HM	P	-	1	HM	P	-	-	
312 B	APPLICATIONS 312	1050	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
313 A	ART 313	1050	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
313A A	ART STOR. 313	1050	2150	-	-	D	HM	P	-	1	HM	P	-	-	
314 A	RESOURCE ROOM 314	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
316 A	STAIR B 316	2X1000	2150	45 min.	HT	B	HM	P	FR	2	HM	P	-	-	ELECTROMAGNETIC HOLDER, 180° SWING PER DRAWINGS
317 A	SCIENCE 317	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
317 B	SCIENCE 317	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
318 A	CLASSROOM 318	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
319 A	CLASSROOM 319	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
319 B	CLASSROOM 319	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
320 A	CLASSROOM 320	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
321 A	CLASSROOM 321	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
321 B	CLASSROOM 321	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
322 A	CLASSROOM 322	950	2150	-	-	D	WD	PLAM	TP	1	HM	P	-	-	
323 A	B/F W/R 323	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	B/F DOOR OPERATOR
326 A	WASHROOM 326	950	2150	-	-	A	HM	P	-	1	HM	P	-	-	
327 A	CUSTODIAL 327	1000	2150	-	-	A	HM	P	-	1	HM	P	-	-	
329 A	QUIET ROOM 329	950	2337	-	-	J	ALUM	ANNO	TP	CW17	ALUM	ANNO	-	TP	
331 A	QUIET ROOM 331	950	2337	-	-	J	ALUM	ANNO	TP	CW17	ALUM	ANNO	-	TP	
332 A	ELECTRICAL 332	1000	2150	-	-	A	HM	P	-	1	HM	P	-	-	

HDSB MILTON #13 PS DOOR FINISH SCHEDULE

DOOR #	ROOM	DOOR								FRAME					REMARKS
		WIDTH	HEIGHT	FIRE	H.T.	TYPE	MAT'L	FIN	GLASS	TYPE	MAT'L	FIN	DC	GLASS	
END OF SCHEDULE															