


ST. JOSEPH CES RENOVATIONS

980 Westminster Dr S, Cambridge, ON N3H 1V2

WCDSB PROJECT No. RFT # 2026-12
17|21 PROJECT No. 2530



ARCHITECTS

17|21 ARCHITECTS
1065 VALETTA STREET, SUITE A,
LONDON, ONTARIO
N6H 2Z9
T: 519. 439.0611
INFO@1721ARCHITECTS.CA

M&E CONSULTANTS

CALLIDUS ENGINEERING
1385 N ROUTLEDGE PARK, UNIT 9
LONDON, ONTARIO N6H5N5
T: (519) 472 7640

STRUCTURAL

**VANBOXMEER & STRANGES
ENGINEERING LIMITED**
1108 Dundas St., Suite 104
London, Ontario, N5W 3A7
T. 519-433-4661



WORK RESTRICTIONS
Should the contractor not be able to finish the scope of work by the Substantial Completion date, the contractor shall be complete all Invasive work at their own cost, after hours and on the weekend during times that school is closed. The Contractor shall make arrangements with the owner to all after hour work.
All occupied spaces scope of work shall be completed by August 21, 2026. The non-noisy work in areas other than occupied spaces can be completed during school hours and shall be coordinated with the owner. All exits door and corridors shall not be blocked at any time.

EXISTING LIFE SAFETY DEVICES:
- All existing Life Safety Devices shall be kept activate and in complete working order during all phased of concp

EXISTING LIGHTING:
- General Contractor is responsible to provide a detailed schedule of all lightngs being removed

SIGNAGE:
- Rooms names/numbers affected by changes to be updated at electrical panels, BAS, FA panel, etc., where applicable, carried as BASE BID. GC to coordinate with M&E trades.


GENERAL CONTRACTOR TO PROVIDE FULL SETS OF DOCUMENTS TO THEIR SUBTRADES AND MUST MAKE SURE THAT ALL NOTATIONS ON CONSTRUCTION DOCUMENTS ARE FULLY READ AND UNDERSTOOD. ANY DISCREPANCIES ARE TO BE BROUGHT UP TO THE ARCHITECT PRIOR TO START OF CONSTRUCTION. NO EXTRAS ARE ALLOWED TO THE CONTRACT, IF THE INFORMATION IS PRESENT ON THE CONSTRUCTION DOCUMENTS.

CONTRACTOR NOTES:



- PRIOR TO THE GENERAL CONTRACTOR GAINING ACCESS TO THE SITE, THE CLIENT SHALL REMOVE ALL NON-FIXED FURNITURE, WALL MOUNTED ITEMS, LOOSE ITEMS, ETC., IN ALL AREAS WHERE DEMOLITION IS TO OCCUR AND SHALL REINSTATE THEM AFTER CONTRACT IS COMPLETED. SHOULD ANY ITEMS REMAIN ON WALLS TO BE DEMOLISHED CONTRACTOR SHALL REMOVE AND DISPOSE OF THEM ACCORDINGLY. GENERAL CONTRACTOR IS RESPONSIBLE FOR REMOVING ALL FIXED ITEMS/ FURNITURE AND RE-INSTALL AFTER RENOVATION IS COMPLETED. IF ANY ITEMS ADJACENT TO THE SCOPE OF DEMOLITION WORK INHIBIT SCOPE OF WORK TO BE COMPLETED THE GENERAL CONTRACTOR SHALL REMOVE AND RETURN ITEM(S) TO THE CLIENT.
- ALL DIMENSIONS MUST BE CONFIRMED ON SITE BY CONTRACTORS. CAREFULLY EXAMINE ALL EXISTING SITE CONDITIONS AND BUILDING COMPONENTS ALONG WITH ALL DIMENSIONS THAT WILL AFFECT THE PROPER EXECUTION OF WORK IN ORDER TO OBTAIN A CLEAR AND COMPREHENSIVE UNDERSTANDING OF THE WORK REQUIRED TO COMPLETE THE PROJECT.
- ENSURE PROPER WCDSB PROCEDURES ARE FOLLOWED FOR ALL WORKS REQUIRING FIRE ALARM SILENCING
- GENERAL CONTRACTOR TO PROVIDE HOT WORK PERMITS FOR ALL RELEVANT WORK AND KEPT ON SITE DURING CONSTRUCTION
- NOTE ALL MOVEABLE FURNITURE TO BE REMOVED FROM WORK AREAS BY WCDSB PRIOR TO CONSTRUCTION START; FIXED FURNITURE AND EQUIPMENT TO BE REMOVED AND RELOCATED BY GC
- CONTRACTOR TO REVIEW AND ENFORCE PROVIDED DSA AT TIME OF CONSTRUCTION AND COORDINATE REMOVALS WITH WCDSB APPROVED ABATEMENT VENDOR AS NEEDED

CONSTRUCTION NOTES:

- CONCRETE SLAB TO BE POURED DUE DEMOLITION. SLAB TO BE LEVELED TO RECEIVE NEW FINISH. REFER TO FLOOR TYPE F1
- INSTALL NEW FLOORING & BASE BOARD.
- GC TO REFINISH ALL EXISTING FRAMES, SIDELIGHTS FRAMES & TRANSOM WHERE DOOR WILL BE REPLACED.
- WHERE CEILING FINISH HAD BEEN REMOVED TO ADD THE ACCESS HATCH, GC TO RE-FINISH AROUND WITH STEEL STUD FRAMING AND 16mm Hi-Impact Gypsum Board
- RE-INSTALL GYM FLOORING
- NEW HOLLOW METAL DOOR AND FRAME. GENERAL CONTRACTOR TO REPAIR WALLS AND FLOOR DUE THE FRAME REMOVAL



KEY PLAN



2 DOORS ELEVATIONS
1:50

ABBREVIATIONS
HM - HOLLOW METAL
WD - WOOD
PT - PAINT
ST - STAIN

2529 - WCDSB - St. Joseph DOOR & FRAME SCHEDULE

ROOM	NUMBER	DOOR #	WIDTH	HEIGHT	TYPE	MATERIAL	FINISH	GLASS	TYPE	MATERIAL	FINISH	GLASS	HARDWARE	FRAME	AUTO OPERATOR	FIRE RATING
MAIN OFFICE	101	D-101	914	2032	A	WD	ST	GL1	EX	EX	PT.					
STORAGE	102	D-102	914	2032	C	WD	ST	EX	EX	PT.						
SEMINAR ROOM	103	D-103	914	2032	E	WD	ST	GL1	EX	EX	PT.					
CUSTODIAL OFFICE	104	D-104	914	2032	E	WD	ST	GL1	EX	EX	PT.					
CLASSROOM	105	D-105	914	2032	E	WD	ST	GL1	EX	EX	PT.					
CLASSROOM	106	D-106	914	2032	E	WD	ST	GL1	EX	EX	PT.					
CLASSROOM	107	D-107	914	2032	E	WD	ST	GL1	EX	EX	PT.					
CLASSROOM	108	D-108	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	109	D-109	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN - W/R	109	D-109.1	914	2032	D	WD	ST		EX	EX	PT.					
GIRLS W/R	110	D-110	914	2032	D	WD	ST		EX	EX	PT.					
BOYS W/R	111	D-111	914	2032	D	WD	ST		EX	EX	PT.					
PRINCIPAL	112	D-112	914	2032	C	WD	ST		EX	EX	PT.					
PRINCIPAL - W/R	112	D-112.1	914	2032	D	WD	ST		EX	EX	PT.					
W/R	113	D-113	914	2032	D	WD	ST		EX	EX	PT.					
STAFF RM	114	D-114	914	2032	C	WD	ST		EX	EX	PT.					
STORAGE	115	D-115	914	2032	C	WD	ST		EX	EX	PT.					
BOILER RM	116	D-116	914	2032	C	HM	PT		EX	EX	PT.					45 min.
J/S KINDERGARTEN	117	D-117	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN - W/R	117	D-117.1	914	2032	D	WD	ST		EX	EX	PT.					
J/S KINDERGARTEN - W/R	117	D-117.2	914	2032	D	WD	ST		EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.3	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.4	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.5	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.6	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.7	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.8	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.9	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.10	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.11	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.12	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.13	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.14	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.15	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.16	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.17	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.18	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.19	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.20	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.21	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.22	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.23	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.24	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.25	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.26	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.27	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.28	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.29	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.30	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.31	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.32	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.33	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.34	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.35	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.36	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.37	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.38	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.39	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.40	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.41	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.42	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.43	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.44	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.45	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.46	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.47	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.48	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.49	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.50	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.51	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.52	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.53	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.54	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.55	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.56	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN	117	D-117.57	914	2032	E	WD	ST	GL1	EX	EX	PT.					
J/S KINDERGARTEN																



1 DEMOLITION FLOOR PLAN
 1:150

- GENERAL NOTES:**
- REMOVE ALL WIRING FROM ELECTRICAL ITEMS THAT WILL BE REMOVED AND ALL REDUNDANT CONDUIT BACK TO NEAREST JUNCTION BOX THAT WILL REMAIN, AND MAKE SAFE. INSTALL METAL COVER PLATES OVER EXPOSED OPENINGS AND ELECTRICAL BOXES. REFER TO ELECTRICAL FOR ADDITIONAL REQUIREMENTS.
 - MAKE GOOD ALL AREAS AFFECTED BY REMOVALS - FLUSH TO ADJACENT SURFACE AND MATCH EXISTING FINISH.
 - DISPOSE OF ALL DESIGNATED SUBSTANCES TO THE REQUIREMENTS OF AUTHORITIES HAVING JURISDICTION.
 - ALL PIPING THAT IS TO BE REMOVED OR ABANDONED IS TO BE REMOVED BACK TO THE NEAREST JUNCTION AND CAPPED. REFER TO MECHANICAL FOR ADDITIONAL REQUIREMENTS.
 - NOTE ALL EXISTING ITEMS MAY NOT BE SHOWN ON THESE DRAWINGS. A CAREFUL REVIEW OF THE SITE IS REQUIRED TO DETERMINE THE FULL EXTENT OF THE WORK SHOWN.
 - THE ARCHITECTURAL DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ALL PROJECT MANUALS, MECHANICAL AND ELECTRICAL DRAWINGS. IN CASE OF DIFFERENCES BETWEEN CONSULTANTS' DOCUMENTS WITH RESPECT TO QUANTITY, SIZES OR SCOPE, THE GREATER SHALL APPLY.
 - PROVIDE PROTECTION FOR ALL FINISHES OR SERVICES TO REMAIN.
 - ALL WINDOWS FALLING WITHIN THE DEMOLITION AREA ARE TO HAVE COVERINGS, THEIR FITTINGS, MOUNTING HARDWARE REMOVED & RETURNED TO THE OWNER, OR DISPOSE AS DIRECTED BY THE OWNER.
 - DEMOLITION NOTE REFERENCE NUMBERS, WHERE LOCATED ADJACENT TO A ROOM NAME/NUMBER APPLY TO THE ENTIRETY OF THE ROOM.
 - GENERAL CONTRACTOR IS TO ALLOW FOR THE SUPPLY AND INSTALLATION OF LOOSE LINTELS AS REQUIRED WHERE NEW OPENINGS ARE BEING CREATED OR WIDENED. REFER TO THE LOOSE LINTEL SCHEDULE PROVIDED ON THE DRAWINGS, OR PROVIDE ENGINEERING WHERE THERE ARE NO STRUCTURAL DRAWINGS / SCHEDULE.
 - GC IS REQUIRED TO REMOVE ALL REMAINING ADHESIVES ON WALLS WHERE COMMUNICATION BOARDS WERE REMOVED UNLESS BEING COVERED WITH NEW BOARDS. TYPICAL FOR ALL ROOMS AFFECTED BY WORK.
 - ALL WORK TO BE COORDINATED WITH THE ASBESTOS CONSULTANT'S DESIGNATED SUBSTANCES REPORT AND SCOPE OF WORK.
 - REMOVE AND REINSTALL THE CEILING TILES WHERE NEEDED FOR REMOVAL OF THE EXISTING DUCTS. REFER TO MECHANICAL DRAWINGS.
- DEMOLITION NOTES:**
- IN FLOOR HEATING TO BE REMOVED. REFER TO MECHANICAL DRAWINGS. NEW CONCRETE SLAB TO BE POURED DUE DEMOLITION AND FLOOR HEATING REMOVAL. LEVEL THE SLAB TO RECEIVE NEW FINISH. LEVEL TO MATCH REMAINING SLAB.
 - EXISTING FLOOR FINISHES AND WALL BASE TO BE REMOVED INCLUDING ALL ADHESIVES AND MORTAR DOWN TO EXISTING FLOOR BASE AND WALL BACKING BY MEANS OF GRINDING. PREPARE FLOOR AND MAKE READY TO RECEIVE NEW FINISHES. PROVIDE ANY AND ALL REMEDIAL WORK TO WALL TO RECEIVE NEW BASEBOARD.
 - REMOVE CEILING FINISH, CONCRETE CORE SLAB, ROOF INSULATION, PIPE AND MEMBRANE, TO PLACE NEW HATCH. REFER TO STRUCTURAL AND M&E DRAWINGS.
 - REMOVE NECESSARY CONCRETE BLOCK TO PLACE NEW STRUCTURAL ELEMENT. REFER TO STRUCTURAL.
 - REMOVE EXISTING FLOOR FINISH, STORAGE AND SAFE IT FOR RE-INSTALLATION. CONCRETE FLOOR TO BE CUT AS PER ARCHITECTURAL DRAWING LOCATIONS. DIMENSIONS AND LOCATION IN THIS DRAWING ARE CLOSE, BUT GC TO VERIFY. NEW CONCRETE SLAB TO BE POURED DUE DEMOLITION. LEVEL THE SLAB TO RECEIVE FINISH. LEVEL TO MATCH REMAINING SLAB.
 - REMOVE EXISTING DOORS
 - REMOVE EXISTING DOOR AND FRAME
 - REMOVE PARTIALLY EXISTING WALL UP TO 1.1m FROM FIN. FLOOR.

KEY PLAN

LEGEND

ISSUED

DATE	DESCRIPTION	No.
2026-02-02	ISSUE FOR CLIENT REVIEW 75%	1
2026-03-09	ISSUE FOR TENDER	2


ALL DRAWINGS, SPECIFICATIONS AND RELATED DOCUMENTATION ARE COPYRIGHT PROPERTY OF 1721 ARCHITECTS INC. AND MUST BE RETURNED UPON REQUEST. REPRODUCTION OF DRAWINGS, SPECIFICATIONS AND RELATED DOCUMENTATION IN PART OR IN WHOLE IS WRITTEN FORBIDDEN WITHOUT THE WRITTEN PERMISSION OF 1721 ARCHITECTS INC.
 DO NOT SCALE DRAWINGS
 CONTRACTOR MUST CHECK AND VERIFY ALL DIMENSION OF THE JOB.
 THIS DRAWING IS NOT TO BE USED FOR CONSTRUCTION UNTIL SIGNED BY THE ARCHITECT

ST JOSEPH CES RENOVATION

DEMOLITION FLOOR PLAN & DEMOLITION NOTES

CHECKED: SD
 DRAWN:
 PROJECT No. 2530

SCALE: AS NOTED



KEY PLAN

LEGEND

ISSUED

DATE	DESCRIPTION	No.
2026-02-02	ISSUE FOR CLIENT REVIEW 75%	1
2026-03-09	ISSUE FOR TENDER	2

01 PARTIAL SITE PLAN 1:150

GENERAL NOTES:


- 1- GENERAL CONTRACTOR TO VERIFY LOCATION OF EXISTING PIPES
- 2- GENERAL CONTRACTOR WILL BE RESPONSIBLE TO MAINTAIN THE PIPES IN GOOD CONDITIONS WHILE THE NEW ASPHALT IS INSTALLED.
- 3- GENERAL CONTRACTOR SHALL CONSTRUCT TEMPORARY MEASURES TO CONTROL SILT ENTERING THE STORM DRAINAGE SYSTEM TO THE SPECIFICATIONS OUTLINED IN THE GUIDELINES ON THE EROSION AND SEDIMENT CONTROL FOR URBAN CONSTRUCTION SITES PREPARED BY THE MINISTRY OF NATURAL RESOURCES.
- 4- MAINTAIN EXISTING GRADES AS INDICATED IN THE DRAWING.

CONSTRUCTION NOTES:

1. THE CONTRACTOR SHALL TAKE ALL PRECAUTIONARY MEASURES UNDER THE OCCUPATIONAL HEALTH AND SAFETY ACT AS REQUIRED BY THE MINISTRY OF LABOUR.
 2. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE MINIMUM STANDARDS AND SPECIFICATIONS OF THE CITY OF KITCHENER ENGINEER'S DEPARTMENT AND 2012 ONTARIO BUILDING CODE.
 3. ALL EXCAVATIONS FOR PROPOSED SERVICES SHALL BE SUPPORTED ON GRANULAR FILL. ALL TOPSOIL, SOFT AND OTHERWISE UNSUITABLE MATERIAL SHALL BE REMOVED AND THE SUBGRADE SHOULD BE PROOF-ROLLED AND INSPECTED BY THE GEOTECHNICAL ENGINEER. ANY LOOSE OR SOFT ZONES NOTED IN THE INSPECTION SHOULD BE EXCAVATED AND REPLACED WITH APPROVED INORGANIC ON-SITE OR IMPORTED FILL. ALL FILL MATERIAL SHOULD BE INSPECTED AND APPROVED BY THE GEOTECHNICAL ENGINEER AND SHOULD BE PLACED IN LIFTS NOT EXCEEDING 200mm THAT ARE COMPACTED TO 95% SPMD (98% FOR PAVED AREAS). THE FILL MATERIAL SHOULD COMPRISE OF CLEAN COMPACTIBLE FILL WITHIN 3% OF THE OPTIMUM MOISTURE CONTENT.
 4. PRIOR TO COMMENCING ANY WORK ON THE INSTALLATION OF SERVICES & GRADING, AN APPROVED SET OF PLANS AND SPECIFICATIONS MUST BE AVAILABLE ON THE JOB AND SHALL REMAIN THERE WHILE WORK IS BEING DONE.
 5. THE CONTRACTOR SHALL CONSTRUCT TEMPORARY MEASURES TO CONTROL SILT ENTERING THE STORM DRAINAGE SYSTEM TO THE SPECIFICATIONS OUTLINED IN THE GUIDELINES ON EROSION AND SEDIMENT CONTROL FOR URBAN CONSTRUCTION SITES PREPARED BY THE MINISTRY OF NATURAL RESOURCES. THESE MEASURES ARE TO BE INSTALLED PRIOR TO COMMENCING ANY CONSTRUCTION FOR THIS PROJECT AND ARE TO REMAIN IN PLACE UNTIL CONSTRUCTION HAS BEEN COMPLETED TO THE SPECIFICATIONS OF THE CITY ENGINEER.
 6. ALL SURFACES WHICH ARE DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO A CONDITION AT LEAST AS GOOD AS ORIGINAL, OR AS PER BELOW (WHICHEVER IS GREATER) OR IF WITHIN THE CITY RIGHT OF WAY TO THE SATISFACTION OF THE CLIENT, ALL AT NO COST TO THE CLIENT.
 - 6.1. GRASSED AREAS TO BE RESTORED w/ 100mm TOPSOIL + SOD
 - 6.2. CONCRETE SIDEWALK TO CoF STANDARD SR-1.0.
 - 6.3. CONCRETE CURB AND GUTTER AS SPECIFIED.
 - 6.4. ANY ASPHALT AREA DISTURBED DURING CONSTRUCTION SHALL BE RESTORED AS FOLLOWS:
 - 6.4.1. PROOF ROLL SUBGRADE (TO THE SATISFACTION OF THE GEOTECHNICAL ENGINEER) PRIOR TO PLACEMENT OF GRANULARS (98% SPMD MIN).
 - 6.4.2. MILL ADJACENT ASPHALT TO BE TIED INTO 50mm DEEP x 500mm WIDE PRIOR TO RESTORATION SEE DETAIL ON SHEET C1.
 - 6.4.3. MIN. RECOMMENDED HEAVY DUTY PAVEMENT STRUCTURE (CLIENT TO PROVIDE GEOTECHNICAL REPORT)
 - 40mm HL3 SURFACE ASPHALT COMPACTED TO 92% MAXIMUM RELATIVE DENSITY
 - 40mm HL4 or HL8 BINDER ASPHALT COMPACTED TO 92% MAXIMUM RELATIVE DENSITY
 - ASPHALT TO BE SUPPLIED AND PLACED IN ACCORDANCE WITH OPSS 310 & 1150
 - 150mm OF GRANULAR 'A' COMPACTED TO 98% SPMD
 - 200mm OF GRANULAR 'B' COMPACTED TO 98% SPMD
7. SEPARATION BETWEEN BURIED WSC & PDC AS PER M.O.E.E. GUIDELINES AND SECTION 7.3.5.7. OF THE O.B.C
8. WHEN CROSSING ABOVE A SANITARY/STORM SEWER THE CONTRACTOR IS TO ENSURE A MINIMUM 0.5m VERTICAL SEPARATION FROM THE UNDERSIDE OF THE WATER SERVICE TO THE TOP OF THE SEWER AS OUTLINED IN THE LATEST EDITION OF THE M.O.E. "DESIGN GUIDELINES FOR DRINKING-WATER SYSTEMS" AND INSULATE WATER SERVICE AS PER DETAIL ON THIS SHEET, WHERE REQUIRED.
9. ALL ORGANIC, UNSTABLE OR UNSUITABLE MATERIALS BENEATH THE ROAD ALLOWANCE OR FOUNDATIONS MUST BE REMOVED AND THESE AREAS BACK FILLED WITH AN APPROVED FILL MATERIAL, ALL TO THE SATISFACTION OF A GEOTECHNICAL ENGINEER.
10. ALL LINE PAINTING TO BE COMPLETED IN ACCORDANCE WITH OPSS 710 'CONSTRUCTION SPECIFICATION FOR PAVEMENT MARKING'.
11. REFER TO THE SITE PLAN FOR LAYOUT DIMENSIONING AND SIGN/POST DETAILS.

EROSION AND SEDIMENT CONTROL

- 1.1. CONTRACTOR TO INSTALL EROSION CONTROL MEASURES AS SHOWN PRIOR TO CONSTRUCTION AND MAINTAIN IN GOOD CONDITION UNTIL CONSTRUCTION IS COMPLETED AND VEGETATIVE COVER IS ESTABLISHED.
- 1.2. ALL SILT FENCING TO BE INSTALLED PRIOR TO ANY AREA GRADING, EXCAVATING OR DEMOLITION COMMENCING.
- 1.3. EROSION CONTROL FENCING TO BE INSTALLED AROUND BASE OF ALL STOCKPILES.
- 1.4. EROSION PROTECTION TO BE PROVIDED AROUND ALL STORM AND SANITARY MHS AND CBS.
- 1.5. ADDITIONAL EROSION CONTROL MEASURES MAY BE REQUIRED AS SITE DEVELOPMENT PROGRESSES. CONTRACTOR TO PROVIDE ALL ADDITIONAL EROSION CONTROL STRUCTURES.
- 1.6. EROSION CONTROL STRUCTURES TO REMAIN IN PLACE UNTIL ALL DISTURBED GROUND SURFACES HAVE BEEN RESTABILIZED.
- 1.7. NO ALTERNATE METHODS OF EROSION PROTECTION SHALL BE PERMITTED UNLESS APPROVED BY THE ENGINEER AND THE DEPARTMENT OF PUBLIC WORKS.
- 1.8. CONTRACTOR TO CLEAN ROADWAY AND SIDEWALKS OF SEDIMENTS RESULTING FROM CONSTRUCTION TRAFFIC FROM THE SITE EACH DAY.
- 1.9. CONTRACTOR MUST REMOVE EROSION AND SEDIMENTATION FENCING PRIOR TO COMPLETION OF PROJECT. CONTRACTOR TO HAVE EROSION AND SEDIMENTATION FENCE INSPECTED WHEN VEGETATION HAS ESTABLISHED, BUT PRIOR TO FENCE BECOMING OVERGROWN. ENGINEER'S REPRESENTATIVE TO DETERMINE IF VEGETATION HAS REACHED THE CRITICAL POINT AND WILL THEN INSTRUCT CONTRACTOR TO REMOVE FENCE.




LEGENDS:

- NEW ASPHALT ON EXISTING ASPHALT AREAS APROX. AREA: ± 1,700 Sq. Mt.
- NEW ASPHALT w/ NEW GRAVEL BASE. REFER TO 6.4.3 IN CONST. NOTES APROX. AREA: ± 330 Sq. Mt.

PAVEMENT STRUCTURE

MATERIAL	RECOMMENDED THICKNESS	
ASPHALTIC CONCRETE	HL3	40MM
	HL4 or HL8	40MM
GRANULAR 'A' BASE	150MM	
GRANULAR 'B' SUBBASE	200MM	

PAVEMENT MILLING DETAIL:



ALL DRAWINGS, SPECIFICATIONS AND RELATED DOCUMENTATION ARE COPYRIGHT PROPERTY OF 1721 ARCHITECTS INC. AND MUST BE RETURNED UPON REQUEST. REPRODUCTION OF DRAWINGS, SPECIFICATIONS AND RELATED DOCUMENTATION IN PART OR IN WHOLE IS WRITTEN FORBIDDEN WITHOUT THE WRITTEN PERMISSION OF 1721 ARCHITECTS INC.
 DO NOT SCALE DRAWINGS
 CONTRACTOR MUST CHECK AND VERIFY ALL DIMENSION OF THE JOB.
 THIS DRAWING IS NOT TO BE USED FOR CONSTRUCTION UNTIL SIGNED BY THE ARCHITECT

ST JOSEPH CES RENOVATION

ENLARGE SITE PLAN & CONSTRUCTION NOTES

CHECKED: SD
 DRAWN: 2530
 PROJECT No. 2530

SCALE: AS NOTED

A050

