



Addendum # 4

Bid Opportunity: 26-7848-RFT - Waterloo Collegiate Institute HVAC and Exterior Upgrades Phase 2

Closing Date: Thursday, March 26, 2026 2:00 PM

The following issued by the Board shall form part of the Bid / Proposal Solicitation document. The revisions and additions noted herein along with any attachments shall be read in conjunction with all other related documents. This Addendum shall, take precedence over the previously issued documents where differences occur. Receipt of this addendum must be acknowledged in the Bidding System, bids&tenders.

If you have already submitted a Bid / Proposal, it will be automatically withdrawn as a result of this addendum. You must resubmit the Bid / Proposal acknowledging all addenda and revising your Bid / Proposal to comply with all addenda.

Clarification Initiated by the Board / Consultant

Clarification 1

Delete Specification, Section 10 51 13 R1 (Page 2 of 4) in its entirety, and Replace with Section 10 51 13 R2 (Page 2 of 4), attached hereto and forming part of this addendum. Revision R2 modifies sentence 2.1

APPROVED PRODUCTS AND MANUFACTURERS

- .2 Subject to compliance with requirements, manufacturers offering products that may be incorporated into the Work include; but are not limited to, the following:**
 - .1 ASI Storage Solutions Inc.**
 - .2 Shanahan's Building Products**
 - .3 GSS (General Storage Systems)**
 - .4 Hadrian Manufacturing Inc.**
 - .5 Mitchell Division 10 Ltd.**

End of Addendum

2 Products

2.1 APPROVED PRODUCTS AND MANUFACTURERS

- .1 Basis-of-Design Products: Products named in this Section were used as the basis-of-design for the project; additional manufacturers offering similar products may be incorporated into the work of this Section provided they meet the performance requirements established by the named products and provided they submit requests for substitution in accordance with Division 01.
- (R2) .2 Subject to compliance with requirements, manufacturers offering products that may be incorporated into the Work include; but are not limited to, the following:
- .1 ASI Storage Solutions Inc. .5 Mitchell Division 10 Ltd.
 - .2 Shanahan's Building Products
 - .3 GSS (General Storage Systems)
 - .4 Hadrian Manufacturing Inc.
- (R1) .3 ~~Commercial Lockers:~~ **Metal Lockers:**
- .1 Size: ~~457mm (18") wide x 457mm (18") deep x 1829mm (72") high:~~
305mm +/- (12" +/-) wide x 381mm +/- (15" +/-) deep x 1829mm (72") high
 - .2 Construction:
 - .1 Doors: One-piece double wall envelope construction, complete with honeycomb core, welded construction, complete with recessed handle box.
 - .1 Outer Panel: 16 gauge thick.
 - .2 Inner Panel: 20 gauge thick.
 - .2 Frame: Minimum 16 gauge steel channel, welded construction complete with 11 gauge padlock hasp.
 - .3 Body: Minimum gauge requirements:
 - .1 Panels: 20 gauge.
 - .2 Shelves: 16 gauge.
 - .3 Fillers: 16 gauge.
 - .4 Bottoms: 16 gauge.
 - .5 End Panels: 16 gauge.
 - .6 Bolt Spacing: 229mm o.c. maximum spacing.
 - .4 Handle: Recessed lock pocket, one piece construction, 20 gauge.
 - .5 Tops: Sloped, continuous overtop of a bank of lockers, 20 gauge.
 - .6 Hinge: Continuous, heavy-duty full length 16 gauge piano hinge riveted to both door and frame.
 - .3 Configuration: Single tier.
 - .4 Basis of Design Product: SLM Deluxe Series Locker by Shanahan's Building Products.
 - .1 Acceptable alternate models and manufacturers:
 - .1 Tradition Plus Collection by ASI Storage Solutions Inc.
 - .2 Excalibur Locker by General Storage Systems Ltd.
 - .3 Atlas Institutional Lockers by Anthony Steel Manufacturing.